




bxBOND
surface,
the
ALUMINIUM SOLUTION
for
composite
panels




bxBOND

bx**BOND**

Elegance and performance, indoor and outdoor bx**BOND** is the aluminium surface that expands the bxpro product range dedicated to architectural applications.

Made on continuous anodizing lines, bx**BOND** guarantees uniformity of surface treatment and color.



↔
Maximum width
2000mm

⊕
Thickness
from 0,50mm

⊕
Oxide thickness
up to 25micron

🌀
Alloy
5005-H14
1085-H18

📄
Mill Finish Satin,
Brushed and
Mirror finishes

📄
bx**PRO** & bx**DECOR**
line colors

Due to its low thickness, bx**BOND** is ideal for being combined with other materials and suitable for the production of composite panels.


bx**BOND** is also a viable choice in interior design and wall cladding applications.

The high oxide thickness provides high corrosion resistance and it makes the surface suitable for exterior applications such as facades and cladding.

Lightweight, malleable and easily processed, bx**BOND** is available in a range of aesthetically appealing finishes and colors.

bx**BOND** is a fireproof and 100% recyclable material.





Proprietà Platinum Srl - Fotografia: Giacomo Albo



Almeco SpA

Via della Liberazione 15
20098 San Giuliano M.se (Mi) - Italy
T +39 02 988963 1
F +39 02 988963 99
almeco@almecogroup.com

Almeco GmbH

Claude Breda Strasse, 3
D-06406 Bernburg - Germany
T +49 3471 3465500
F +49 3471 3465509
info.de@almecogroup.com

Almeco USA Inc.

1610 Spectrum Drive
Lawrenceville, GA 30043 - USA
T +1 770 449 3454
F +1 770 449 3677
info@almecousa.com